

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/976,309	10/15/2001	Gurcharan S. Bhusri	2455-4074US5	2493
75	590 09/23/2004		EXAM	INER
MORGAN & FINNEGAN, L.L.P.			ESCALANTE, OVIDIO	
345 Park Avenue New York, NY 10154-0053			ART UNIT	PAPER NUMBER
			2645	

DATE MAILED: 09/23/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)
•		
	09/976,309	BHUSRI, GURCHARAN S.
Office Action Summary	Examiner	Art Unit
	Ovidio Escalante	2645
The MAILING DATE of this communication Period for Reply	appears on the cover sheet wi	ith the correspondence address
A SHORTENED STATUTORY PERIOD FOR REI THE MAILING DATE OF THIS COMMUNICATIO  - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a  - If NO period for reply is specified above, the maximum statutory per - Failure to reply within the set or extended period for reply will, by sta Any reply received by the Office later than three months after the may earned patent term adjustment. See 37 CFR 1.704(b).	N. R 1.136(a). In no event, however, may a r reply within the statutory minimum of thirt iod will apply and will expire SIX (6) MON atute, cause the application to become AB	reply be timely filed  ty (30) days will be considered timely.  ITHS from the mailing date of this communication.  BANDONED (35 U.S.C. § 133).
Status		
1) Responsive to communication(s) filed on 30	0 August 2004.	,
	This action is non-final.	
3) Since this application is in condition for allo		ters, prosecution as to the merits is
closed in accordance with the practice unde	•	•
Disposition of Claims	• •	
4)⊠ Claim(s) <u>45-61</u> is/are pending in the applica	ation.	
4a) Of the above claim(s) is/are without		
5) Claim(s) is/are allowed.		
6)⊠ Claim(s) <u>45-61</u> is/are rejected.	•	
7) Claim(s) is/are objected to.		
8) Claim(s) are subject to restriction an	d/or election requirement.	
Application Papers		
9)☐ The specification is objected to by the Exam	niner	
10) The drawing(s) filed on 15 October 2001 is/a		hiected to by the Evaminer
Applicant may not request that any objection to		
Replacement drawing sheet(s) including the con	***	• •
11) The oath or declaration is objected to by the	•	
,_	Examiner. Note the attached	Office Action of John 1 10-102.
Priority under 35 U.S.C. § 119		
<ul> <li>12) Acknowledgment is made of a claim for fore</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority docum</li> </ul>		§ 119(a)-(d) or (f).
<u> </u>		englication No
2. Certified copies of the priority docum		· · ·
3. Copies of the certified copies of the p	•	received in this National Stage
application from the International Bur		rospiyad
* See the attached detailed Office action for a	list of the certified copies not	received.
Attachment(s)	, <b>-</b>	Summon (PTO 442)
1) ⊠ Notice of References Cited (PTO-892) 2) ☑ Notice of Draftsperson's Patent Drawing Review (PTO-948)		Summary (PTO-413) s)/Mail Date
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB, Paper No(s)/Mail Date		nformal Patent Application (PTO-152)

Application/Control Number: 09/976,309

Art Unit: 2645

#### **DETAILED ACTION**

### **Priority**

1. Applicants remarks in the second preliminary amendment which was received on August 30, 2004, state that claims 1-44 appear in parent application 10/101,313, However, the Examiner notes that application 10/101,313, which just recently issued as a patent, does not appear to be the parent application of this current application since the priority data for this application only states that this application is a continuation of 09/041,439 which is a divisional of 08/837,830.

The Examiner notes that it appears that application 10/101,313 is a related application (not a parent) and the Examiner also notes that while application 10/101,313 also branches from 08/837,830 from another related application there is no indication in this present application of any relationship via either continuation or divisional to 10/101,313.

The Examiner respectfully asks application to clarify this and to include all instances of related and parent application information

### Claim Objections

2. Claims 45,50-52,59 and 60 are objected to because of the following informalities:

claim 45 does not end with the required end punctuation.

claim 50 does not end with the required end punctuation.

claim 51, line 3, "error;" should be changed to --error.-- so that the claims can end with the correct end punctuation.

claim 52, line 3, "call;" should be changed to --call.-- so that the claims can end with the correct end punctuation.

claim 59 does not end with the required end punctuation.

Application/Control Number: 09/976,309

Art Unit: 2645

claim 60 does not end with the required end punctuation.

Appropriate correction is required.

## **Drawings**

- 3. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(4) because reference character "41" has been used to designate both speech recognition call control database (fig. 5) and speech recognition and voice response unit (fig. 2).
- 4. The drawings are objected to as failing to comply with 37 CFR-1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description: "11" on page 26, line 12.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

#### **Double Patenting**

5. A rejection based on double patenting of the "same invention" type finds its support in the language of 35 U.S.C. 101 which states that "whoever invents or discovers any new and useful process ... may obtain a patent therefor ..." (Emphasis added). Thus, the term "same invention," in this context, means an invention drawn to identical subject matter. See *Miller v. Eagle Mfg. Co.*, 151 U.S. 186 (1894); *In re Ockert*, 245 F.2d 467, 114 USPQ 330 (CCPA 1957); and *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970).

A statutory type (35 U.S.C. 101) double patenting rejection can be overcome by canceling or amending the conflicting claims so they are no longer coextensive in scope. The filing of a terminal disclaimer <u>cannot</u> overcome a double patenting rejection based upon 35 U.S.C. 101.

6. Claims 45-61 are rejected under 35 U.S.C. 101 as claiming the same invention as that of claims 20-36 of prior U.S. Patent No. 6,775,375. This is a double patenting rejection.

#### Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Rago US Patent 5,089,954, Flanagan US Patent 5,506,838, Andrews et al. US Patent 5,546,452, Blakeley et al. US Patent 5,563,878, Hogan et al. US Patent 5,590,181, Montgomery et al. US Patent 5,774,530 and Bartholomew et al. US Patent 5,812,639.

Bhusri US Patents 5,729,597, 5,878,113, 5,946,379, 6,393,118, 6,430,286 and 6,775,375.

8. Any response to this action should be mailed to:

Commissioner for Patents

P.O. Box 1450

Alexandria, Virginia 22313-1450

or faxed to:

(703) 872-9306, (for formal communications intended for entry)

Or:

(703) 872-9306, (for informal or draft communications, please label "PROPOSED" or "DRAFT")

Art Unit: 2645

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal Drive, Arlington, VA, Sixth Floor (Receptionist).

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ovidio Escalante whose telephone number is 703-308-6262. The examiner can normally be reached on M-F (6:30AM - 5:00PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Fan S Tsang can be reached on 703-305-4895. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Ovidio Escalante Examiner Group 2645 September 13, 2004

OVIDIO ESCALANTE
PATENT EXAMINER

O violeo Escalante